



ELBZ.E322665 - CORD SETS AND POWER-SUPPLY CORDS


Cord Sets and Power-supply Cords

See General Information for Cord Sets and Power-supply Cords

NINGBO JIAJIE ELECTRONIC CO LTD

XIAOLUXIA VILLAGE
SIMEN TOWN
YUYAO, ZHEJIANG 315472 CHINA

E322665

Trademark and/or Tradename:  JiaJie

Last Updated on 2017-06-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

ELBZ2.E322665 - CORD SETS AND POWER-SUPPLY CORDS - COMPONENT

Cord Sets and Power-supply Cords - Component

See General Information for Cord Sets and Power-supply Cords - Component

NINGBO JIAJIE ELECTRONIC CO LTD

XIAOLUXIA VILLAGE
SIMEN TOWN
YUYAO, ZHEJIANG 315472 CHINA

E322665

Power Supply Cords Cat. No.	Cord or Wire AWG Size	Electrical Rating	Code
FT-5Z	18	10/125/250	—
	16	13/125/250	—
	14	15/125/250	—
FT-6Z	18	6/600	—
	16	8/600	—
	14	10/600	—

Marking: Company name, trademark , and catalog designation.

Last Updated on 2017-06-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

ELBZ7.E322665 - CORD SETS AND POWER-SUPPLY CORDS CERTIFIED FOR CANADA

Cord Sets and Power-supply Cords Certified for Canada

See General Information for Cord Sets and Power-supply Cords Certified for Canada

NINGBO JIAJIE ELECTRONIC CO LTD

XIAOLUXIA VILLAGE
SIMEN TOWN
YUYAO, ZHEJIANG 315472 CHINA

Power supply cords

E322665

ANSI/NEMA Cord Cat. No.	WD6 Config	Cord AWG	Cord Type	Electrical
				Rating Amps V
FT-2	1-15	18	NISPT-1, NISPT-2, SPT-1, SPT-2, HPN	10/125
		16	NISPT-2, SPT-2, HPN	13/125
FT-2A	1-15	18	SVT, SVTO, SVTOO, SJT, SJTW, SJT , SJTOW, SJTOO, SJTOOW	10/125
		17	SVT, SVTO, SVTOO	12/125
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-3	5-15	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW , SVT, SVTO, SVTOO, SPT-2, SPT-3, HPN, ST, STW, STO, STOW, STOO, STOOW	10/125
		16	SVT, SVTO, SVTOO, SPT-2, SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125
		16	HPN	15/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-3A	5-15	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/125
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/125
		12	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/125
FT-3C	6-15P	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/250
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/250

Contact: Tom shen Email: powersupplycord@gmail.com

		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/250
FT-3K	5-15P	18	SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/125
		16	SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-3W	5-15P	18	SVT, SPT-2, SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/125
		16	SVT, SPT-2, SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-5	—	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	10/125, 250
		16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125, 250
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/125, 250
JF715P-A	L7-15P	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/277
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/277
		12	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	15/277

Cord Connectors


Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
FT-3B	5-15	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
		12	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
FT-3CZ	6-15	16	SJT, SJTO, SJTW, SJTOW, SJTOOW, SJTOO, ST, STW, STO, STOW, STOO, STOOW	13/250
		14	SJT, SJTO, SJTW, SJTOW, SJTOOW, SJTOO, ST, STW, STO, STOW, STOO, STOOW	15/250
		12	SJT, SJTO, SJTW, SJTOW, SJTOOW, SJTOO	15/250

Special Use Cord Sets

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
JT3	—	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SVT, SVTO, SVTOO, ST, STW, STO, STOW, STOO, STOOW	10/125, 250

Contact: Tom shen Email: powersupplycord@gmail.com

	—	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, ST, STW, STO, STOW, STOO, STOOW	13/125, 250
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125, 250
JT4	—	18	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SVT, SVTO, SVTOO, SPT-2	10/125, 250
ST2	—	18	SPT-1, SPT-2, NISPT-1, NISPT-2	7/125, 250

Trademark and/or Tradename:  JunFan

Last Updated on 2018-04-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

Contact: Tom shen Email: powersupplycord@gmail.com

ELBZ8.E322665 – CORD SETS AND POWER-SUPPLY CORDS CERTIFIED FOR CANADA – COMPONENT

Cord Sets and Power-supply Cords Certified for Canada - Component

See General Information for Cord Sets and Power-supply Cords Certified for Canada - Component

NINGBO JIAJIE ELECTRONIC CO LTD

XIAOLUXIA VILLAGE
SIMEN TOWN
YUYAO, ZHEJIANG 315472 CHINA

E322665

Power-supply Cord Cat. No.	Cord or Wire AWG Size	Electrical Rating	Code
FT-5Z	18	10/125/250	d
	16	13/125/250	d
	14	15/125/250	d
FT-6Z	18	6/600	d
	16	8/600	d
	14	10/600	d

Codes:

- a - The strain relief bushing, if provided at the free end of the power-supply cord, has been investigated for 13.6 kg.
- b - The flexing relief bushing, if provided at the free end of the power-supply cord, has not been investigated.
- c - The suitability of the terminals, if provided as part of the power-supply cord, has not been investigated.
- d - The flexible cord or wire type and the ampacity of the cord or wire has not been investigated for use in specific equipment.

Marking: Company name, trademark  , catalog designation and the Recognized Component Mark for Canada 

Last Updated on 2017-06-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

Contact: Tom shen Email: powersupplycord@gmail.com